

## SUMMARY FOR MARKET AREA: BROWNSVILLE

TX

Total Access Lines in: BROWNSVILLE      Total      =      4636

## Percentage Availability of ONA Services By Date for BROWNSVILLE      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrastwitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrastwitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100.0%	100.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Delivv CLASS	100.0%	100.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: BRYAN

TX

Total Access Lines in: BRYAN                      Total                      =                      89831

Percentage Availability of ONA Services By Date for BRYAN                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	100.0%	100.0%	100.0%	100.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	98.0%	98.0%	97.9%	97.8%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	91.1%	90.8%	90.5%	90.2%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	43.1%	42.8%	42.4%	42.2%
BSA	Dedicated Alert Transport	Alarm Signal	89.8%	89.6%	89.3%	89.1%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	8.6%	8.7%	8.8%	8.8%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Request Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	98.4%	98.4%	98.4%	98.4%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	98.4%	98.4%	98.4%	98.4%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	98.4%	98.4%	98.4%	98.4%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	98.4%	98.4%	98.4%	98.4%
BSE	CXR Select On Rvse Charg	800 Service	98.4%	98.4%	98.4%	98.4%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	98.4%	98.4%	98.4%	98.4%
BSE	MWI- Activation Audible	MWI Audible	98.4%	98.4%	98.4%	98.4%
BSE	Multiline Hunt Group	Hunt Group Arrangement	98.4%	98.4%	98.4%	98.4%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	98.4%	98.4%	98.4%	98.4%
BSE	MLHG - UCD With Queuing	Queuing	98.4%	98.4%	98.4%	98.4%
BSE	Three Way Call Transfer	User Transfer	98.4%	98.4%	98.4%	98.4%
BSE	Remote Call Forwarding	Foreign Exchange	98.4%	98.4%	98.4%	98.4%
BSE	Route Diversity	Diversity Routing	98.4%	98.4%	98.4%	98.4%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	98.4%	98.4%	98.4%	98.4%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	31.8%	31.9%	31.8%	31.9%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	100.0%	100.0%	100.0%	100.0%
CNS	Fast Select Accept Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
CNS	Fast Select Request Pkt	Fast Select	100.0%	100.0%	100.0%	100.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	98.4%	98.4%	98.4%	98.4%
CNS	Automatic Recall	Automatic Call Return	98.4%	98.4%	98.4%	98.4%

## SUMMARY FOR MARKET AREA: BRYAN

TX

Total Access Lines in: BRYAN                      Total                      =                      89831

Percentage Availability of ONA Services By Date for BRYAN                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	98.4%	98.4%	98.4%	98.4%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	66.6%	66.6%	66.6%	66.5%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	98.4%	98.4%	98.4%	98.4%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	98.4%	98.4%	98.4%	98.4%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	98.4%	98.4%	98.4%	98.4%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	98.4%	98.4%	98.4%	98.4%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	98.4%	98.4%	98.4%	98.4%
CNS	CF - Variable	Variable Cl Fwd'g	98.4%	98.4%	98.4%	98.4%
CNS	CF Var Act w/o Crtsty Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	98.4%	98.4%	98.4%	98.4%
CNS	Call Waiting - Cancel	Cancel Call Waiting	98.4%	98.4%	98.4%	98.4%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	98.4%	98.4%	98.4%	98.4%
CNS	Customer Originated Trace	Call Tracing Service	98.4%	98.4%	98.4%	98.4%
CNS	Distinctive Ringing	VIP Alert	98.4%	98.4%	98.4%	98.4%
CNS	Dist Ring Term Screen	Smart Ring	98.4%	98.4%	98.4%	98.4%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	98.4%	98.4%	98.4%	98.4%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	31.8%	31.9%	31.8%	31.9%
CNS	Selective Call Forward'g	Special Call Forwarding	98.4%	98.4%	98.4%	98.4%
CNS	Selective Call Rejection	Call Block	98.4%	98.4%	98.4%	98.4%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	98.4%	98.4%	98.4%	98.4%
CNS		Busy Number Redial	98.4%	98.4%	98.4%	98.4%
CNS		Saved Number Redial	98.4%	98.4%	98.4%	98.4%
CNS		Last Number Redial	98.4%	98.4%	98.4%	98.4%
CNS	Call Waiting	Call Waiting	98.4%	98.4%	98.4%	98.4%
CNS	Three Way Calling	Three Way Calling	98.4%	98.4%	98.4%	98.4%
CNS	Remote Call Forwarding	Remote Call Forwarding	98.4%	98.4%	98.4%	98.4%
CNS		Clb Frwd'g Fixed-All clls	98.4%	98.4%	98.4%	98.4%
CNS	CFBL/DA	Clb Frwd Bsy No Ans.Fixed	98.4%	98.4%	98.4%	98.4%
CNS		Special Call Waiting	98.4%	98.4%	98.4%	98.4%
CNS		Special Call Acceptance	98.4%	98.4%	98.4%	98.4%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	98.4%	98.4%	98.4%	98.4%
CNS		Call Restriction Service	98.4%	98.4%	98.4%	98.4%
CNS		MWI Abl Rcv Adbl Rng Brst	31.8%	31.9%	31.8%	31.9%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	98.4%	98.4%	98.4%	98.4%

## SUMMARY FOR MARKET AREA: CANTON

OH

Total Access Lines in: CANTON                      Total                      =                      18957

Percentage Availability of ONA Services By Date for CANTON                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	96.2%	96.2%	96.2%	96.2%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	96.2%	96.2%	96.2%	96.2%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	75.6%	75.5%	75.4%	75.4%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	53.5%	53.6%	53.7%	53.8%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	13.5%	13.7%	13.8%	13.9%
BSA	Dedicated Alert Transport	Alarm Signal	92.4%	92.4%	92.4%	92.4%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	96.2%	96.2%	96.2%	96.2%
BSE	Fast Select Request Pkt	Fast Select	96.2%	96.2%	96.2%	96.2%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	33.3%	37.2%	90.5%	90.6%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	33.3%	37.2%	90.5%	90.6%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	33.3%	37.2%	90.5%	90.6%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	33.3%	37.2%	90.5%	90.6%
BSE	CXR Select On Rvse Chrg	800 Service	33.3%	37.2%	90.5%	90.6%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	33.3%	37.2%	90.5%	90.6%
BSE	MWI- Activation Audible	MWI Audible	33.3%	37.2%	90.5%	90.6%
BSE	Multiline Hunt Group	Hunt Group Arrangement	33.3%	37.2%	90.5%	90.6%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	33.3%	37.2%	90.5%	90.6%
BSE	MLHG - UCD With Queuing	Queuing	33.3%	37.2%	90.5%	90.6%
BSE	Three Way Call Transfer	User Transfer	33.3%	37.2%	90.5%	90.6%
BSE	Remote Call Forwarding	Foreign Exchange	33.3%	37.2%	90.5%	90.6%
BSE	Route Diversity	Diversity Routing	33.3%	37.2%	90.5%	90.6%
BSE	3rd No. Bllg Inhibited	Bllg No. Screen'g (BNS)	33.3%	37.2%	90.5%	90.6%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	3.8%	57.0%	57.1%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	96.2%	96.2%	96.2%	96.2%
CNS	Fast Select Accept Pkt	Fast Select	96.2%	96.2%	96.2%	96.2%
CNS	Fast Select Request Pkt	Fast Select	96.2%	96.2%	96.2%	96.2%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	33.3%	37.2%	90.5%	90.6%
CNS	Automatic Recall	Automatic Call Return	33.3%	37.2%	90.5%	90.6%

## SUMMARY FOR MARKET AREA: CANTON

OH

Total Access Lines in: CANTON                      Total                      =                      18957

Percentage Availability of ONA Services By Date for CANTON                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	33.3%	37.2%	90.5%	90.6%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	33.3%	37.2%	90.5%	90.6%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	33.3%	37.2%	90.5%	90.6%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	33.3%	37.2%	90.5%	90.6%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	33.3%	37.2%	90.5%	90.6%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	33.3%	37.2%	90.5%	90.6%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	33.3%	37.2%	90.5%	90.6%
CNS	CF - Variable	Variable Cl Fwd'g	33.3%	37.2%	90.5%	90.6%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	33.3%	37.2%	90.5%	90.6%
CNS	Call Waiting - Cancel	Cancel Call Waiting	33.3%	37.2%	90.5%	90.6%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Delivv CLASS	33.3%	37.2%	90.5%	90.6%
CNS	Customer Originated Trace	Call Tracing Service	33.3%	37.2%	90.5%	90.6%
CNS	Distinctive Ringing	VIP Alert	33.3%	37.2%	90.5%	90.6%
CNS	Dist Ring Term Screen	Smart Ring	33.3%	37.2%	90.5%	90.6%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	33.3%	37.2%	90.5%	90.6%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	3.8%	57.0%	57.1%
CNS	Selective Call Forward'g	Special Call Forwarding	33.3%	37.2%	90.5%	90.6%
CNS	Selective Call Rejection	Call Block	33.3%	37.2%	90.5%	90.6%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	33.3%	37.2%	90.5%	90.6%
CNS		Busy Number Redial	33.3%	37.2%	90.5%	90.6%
CNS		Saved Number Redial	33.3%	37.2%	90.5%	90.6%
CNS		Last Number Redial	33.3%	37.2%	90.5%	90.6%
CNS	Call Waiting	Call Waiting	33.3%	37.2%	90.5%	90.6%
CNS	Three Way Calling	Three Way Calling	33.3%	37.2%	90.5%	90.6%
CNS	Remote Call Forwarding	Remote Call Forwarding	33.3%	37.2%	90.5%	90.6%
CNS		Cll Frwd'g Fixed-All clls	33.3%	37.2%	90.5%	90.6%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	33.3%	37.2%	90.5%	90.6%
CNS		Special Call Waiting	33.3%	37.2%	90.5%	90.6%
CNS		Special Call Acceptance	33.3%	37.2%	90.5%	90.6%
CNS		Anonymous Call Rejection	0.0%	3.8%	57.0%	57.1%
CNS	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	33.3%	37.2%	90.5%	90.6%
CNS		Call Restriction Service	33.3%	37.2%	90.5%	90.6%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	3.8%	57.0%	57.1%
CNS		GTB Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	33.3%	37.2%	90.5%	90.6%

## SUMMARY FOR MARKET AREA: CEDAR RAPIDS

IA

Total Access Lines in: CEDAR RAPIDS      Total      =      3052

Percentage Availability of ONA Services By Date for CEDAR RAPIDS      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	38.4%	38.3%	38.2%	38.1%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypeA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypeB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	89.1%	89.2%	89.2%	89.3%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	89.1%	89.2%	89.2%	89.3%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	89.1%	89.2%	89.2%	89.3%
BSE	MWI- Activation Audible	MWI Audible	89.1%	89.2%	89.2%	89.3%
BSE	Multiline Hunt Group	Hunt Group Arrangement	89.1%	89.2%	89.2%	89.3%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	89.1%	89.2%	89.2%	89.3%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	89.1%	89.2%	89.2%	89.3%
BSE	Remote Call Forwarding	Foreign Exchange	89.1%	89.2%	89.2%	89.3%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	89.1%	89.2%	89.2%	89.3%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	89.1%	89.2%	89.2%	89.3%
CNS	Automatic Recall	Automatic Call Return	89.1%	89.2%	89.2%	89.3%

## SUMMARY FOR MARKET AREA: CEDAR RAPIDS

IA

Total Access Lines in: CEDAR RAPIDS      Total      =      3052

Percentage Availability of ONA Services By Date for CEDAR RAPIDS      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrawitch	Call Fwd Bsy Li - Fixed	89.1%	89.2%	89.2%	89.3%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	89.1%	89.2%	89.2%	89.3%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	89.1%	89.2%	89.2%	89.3%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	89.1%	89.2%	89.2%	89.3%
CNS	CFDA Intrawitch	Cl Fwd-No Ans-Fixed	89.1%	89.2%	89.2%	89.3%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	89.1%	89.2%	89.2%	89.3%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	89.1%	89.2%	89.2%	89.3%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	89.1%	89.2%	89.2%	89.3%
CNS	Call Waiting - Cancel	Cancel Call Waiting	89.1%	89.2%	89.2%	89.3%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Delivv CLASS	89.1%	89.2%	89.2%	89.3%
CNS	Customer Originated Trace	Call Tracing Service	89.1%	89.2%	89.2%	89.3%
CNS	Distinctive Ringing	VIP Alert	89.1%	89.2%	89.2%	89.3%
CNS	Dist Ring Term Screen	Smart Ring	89.1%	89.2%	89.2%	89.3%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	89.1%	89.2%	89.2%	89.3%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	89.1%	89.2%	89.2%	89.3%
CNS	Selective Call Forward'g	Special Call Forwarding	89.1%	89.2%	89.2%	89.3%
CNS	Selective Call Rejection	Call Block	89.1%	89.2%	89.2%	89.3%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	89.1%	89.2%	89.2%	89.3%
CNS		Busy Number Redial	89.1%	89.2%	89.2%	89.3%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	89.1%	89.2%	89.2%	89.3%
CNS	Call Waiting	Call Waiting	89.1%	89.2%	89.2%	89.3%
CNS	Three Way Calling	Three Way Calling	89.1%	89.2%	89.2%	89.3%
CNS	Remote Call Forwarding	Remote Call Forwarding	89.1%	89.2%	89.2%	89.3%
CNS		Clf Frwd'g Fixed-All clls	89.1%	89.2%	89.2%	89.3%
CNS	CFBL/DA	Clf Frwd Bsy No Ans.Fixed	89.1%	89.2%	89.2%	89.3%
CNS		Special Call Waiting	89.1%	89.2%	89.2%	89.3%
CNS		Special Call Acceptance	89.1%	89.2%	89.2%	89.3%
CNS		Anonymous Call Rejection	89.1%	89.2%	89.2%	89.3%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	89.1%	89.2%	89.2%	89.3%
CNS		Call Restriction Service	89.1%	89.2%	89.2%	89.3%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	89.1%	89.2%	89.2%	89.3%

## SUMMARY FOR MARKET AREA: CHAMPAIGN

IL

Total Access Lines in: CHAMPAIGN      Total      =      20640

Percentage Availability of ONA Services By Date for CHAMPAIGN      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	77.2%	77.5%	77.7%	78.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	62.3%	62.7%	63.1%	63.4%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	28.9%	29.2%	29.5%	29.8%
BSA	Dedicated Alert Transport	Alarm Signal	26.3%	26.5%	26.7%	26.9%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	48.7%	48.6%	48.7%	48.7%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	48.7%	48.6%	48.7%	48.7%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	75.1%	74.9%	74.8%	74.7%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	75.1%	74.9%	74.8%	74.7%
BSE	CXR Select On Rvse Chrg	800 Service	48.7%	48.6%	48.7%	48.7%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	75.1%	74.9%	74.8%	74.7%
BSE	MWI- Activation Audible	MWI Audible	75.1%	74.9%	74.8%	74.7%
BSE	Multiline Hunt Group	Hunt Group Arrangement	75.1%	74.9%	74.8%	74.7%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	75.1%	74.9%	74.8%	74.7%
BSE	MLHG - UCD With Queuing	Queuing	48.7%	48.6%	48.7%	48.7%
BSE	Three Way Call Transfer	User Transfer	75.1%	74.9%	74.8%	74.7%
BSE	Remote Call Forwarding	Foreign Exchange	75.1%	74.9%	74.8%	74.7%
BSE	Route Diversity	Diversity Routing	48.7%	48.6%	48.7%	48.7%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	75.1%	74.9%	74.8%	74.7%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	48.7%	48.6%	48.7%	48.7%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	75.1%	74.9%	74.8%	74.7%
CNS	Automatic Recall	Automatic Call Return	75.1%	74.9%	74.8%	74.7%



## SUMMARY FOR MARKET AREA: CHAMPAIGN

IL

Total Access Lines in: CHAMPAIGN                      Total                      =                      20640

Percentage Availability of ONA Services By Date for CHAMPAIGN                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	75.1%	74.9%	74.8%	74.7%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	75.1%	74.9%	74.8%	74.7%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	75.1%	74.9%	74.8%	74.7%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	75.1%	74.9%	74.8%	74.7%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	48.7%	48.6%	48.7%	48.7%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	75.1%	74.9%	74.8%	74.7%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	48.7%	48.6%	48.7%	48.7%
CNS	CF - Variable	Variable Cl Fwd'g	75.1%	74.9%	74.8%	74.7%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	10.2%	10.0%	9.9%	9.8%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	75.1%	74.9%	74.8%	74.7%
CNS	Call Waiting - Cancel	Cancel Call Waiting	75.1%	74.9%	74.8%	74.7%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	75.1%	74.9%	74.8%	74.7%
CNS	Customer Originated Trace	Call Tracing Service	75.1%	74.9%	74.8%	74.7%
CNS	Distinctive Ringing	VIP Alert	75.1%	74.9%	74.8%	74.7%
CNS	Dist Ring Term Screen	Smart Ring	75.1%	74.9%	74.8%	74.7%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	75.1%	74.9%	74.8%	74.7%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	75.1%	74.9%	74.8%	74.7%
CNS	Selective Call Forward'g	Special Call Forwarding	75.1%	74.9%	74.8%	74.7%
CNS	Selective Call Rejection	Call Block	75.1%	74.9%	74.8%	74.7%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	75.1%	74.9%	74.8%	74.7%
CNS		Busy Number Redial	75.1%	74.9%	74.8%	74.7%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	75.1%	74.9%	74.8%	74.7%
CNS	Call Waiting	Call Waiting	75.1%	74.9%	74.8%	74.7%
CNS	Three Way Calling	Three Way Calling	75.1%	74.9%	74.8%	74.7%
CNS	Remote Call Forwarding	Remote Call Forwarding	75.1%	74.9%	74.8%	74.7%
CNS		Cl Fwd'g Fixed-All clls	75.1%	74.9%	74.8%	74.7%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	75.1%	74.9%	74.8%	74.7%
CNS		Special Call Waiting	64.9%	64.9%	64.9%	64.8%
CNS		Special Call Acceptance	64.9%	64.9%	64.9%	64.8%
CNS		Anonymous Call Rejection	38.5%	38.6%	38.8%	38.9%
CNS	3rd No. Bllg Inhibited	Bllg No. Screen'g (BNS)	75.1%	74.9%	74.8%	74.7%
CNS		Call Restriction Service	75.1%	74.9%	74.8%	74.7%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	36.6%	36.3%	36.0%	35.8%

## SUMMARY FOR MARKET AREA: CHARLESTON

SC

Total Access Lines in: CHARLESTON      Total      =      3493

## Percentage Availability of ONA Services By Date for CHARLESTON      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100.0%	100.0%	100.0%	100.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	0.0%	0.0%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	100.0%	100.0%	100.0%	100.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	0.0%	0.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	0.0%	0.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	0.0%	0.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: CHARLESTON

SC

Total Access Lines in: CHARLESTON                      Total                      =                      3493

## Percentage Availability of ONA Services By Date for CHARLESTON                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	0.0%	0.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Deliv CLASS	100.0%	100.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	0.0%	0.0%	0.0%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	100.0%	100.0%	100.0%	100.0%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: CHARLOTTE

NC

Total Access Lines in: CHARLOTTE Total = 23539

## Percentage Availability of ONA Services By Date for CHARLOTTE Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	80.8%	81.0%	81.2%	81.3%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	80.8%	81.0%	81.2%	81.3%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	80.8%	81.0%	81.2%	81.3%
BSA	Dedicated Alert Transport	Alarm Signal	80.8%	81.0%	81.2%	81.3%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	0.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	0.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	100.0%	100.0%	100.0%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	100.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	100.0%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	0.0%	100.0%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	100.0%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	0.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	0.0%	100.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	0.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	100.0%	100.0%	100.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	0.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: CHARLOTTE

NC

Total Access Lines in: CHARLOTTE                      Total                      =                      23539

## Percentage Availability of ONA Services By Date for CHARLOTTE                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	0.0%	0.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	100.0%	100.0%	100.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	100.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	100.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	100.0%	100.0%	100.0%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Delivv CLASS	0.0%	100.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	0.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	100.0%	100.0%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	0.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	0.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	0.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	0.0%	100.0%	100.0%	100.0%
CNS		Last Number Redial	0.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	0.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	0.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	0.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	0.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	0.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	0.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	0.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	0.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	100.0%	100.0%	100.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	0.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: CHICAGO

IL

Total Access Lines in: CHICAGO                      Total                      =                      51908

## Percentage Availability of ONA Services By Date for CHICAGO                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	61.3%	60.7%	60.3%	59.8%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	61.3%	60.7%	60.3%	59.8%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	90.6%	90.7%	90.7%	90.7%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	85.1%	85.1%	85.1%	85.0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	52.8%	52.3%	52.0%	51.5%
BSA	Dedicated Alert Transport	Alarm Signal	67.7%	67.8%	67.9%	68.0%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	61.3%	60.7%	60.3%	59.8%
BSE	Fast Select Request Pkt	Fast Select	61.3%	60.7%	60.3%	59.8%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	69.2%	81.6%	81.3%	100.0%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	69.2%	81.6%	81.3%	100.0%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	69.2%	81.6%	81.3%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	69.2%	81.6%	81.3%	100.0%
BSE	CXR Select On Rvse Charg	800 Service	69.2%	81.6%	81.3%	100.0%
BSE	Message Desk (SMDI)	Prwd Cl Info-Intraoffice	69.2%	81.6%	81.3%	100.0%
BSE	MWI- Activation Audible	MWI Audible	69.2%	81.6%	81.3%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	69.2%	81.6%	81.3%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	69.2%	81.6%	81.3%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	69.2%	81.6%	81.3%	100.0%
BSE	Three Way Call Transfer	User Transfer	69.2%	81.6%	81.3%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	69.2%	81.6%	81.3%	100.0%
BSE	Route Diversity	Diversity Routing	69.2%	81.6%	81.3%	100.0%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	69.2%	81.6%	81.3%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	69.2%	68.9%	68.6%	68.2%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	12.8%	12.7%	31.8%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	61.3%	60.7%	60.3%	59.8%
CNS	Fast Select Accept Pkt	Fast Select	61.3%	60.7%	60.3%	59.8%
CNS	Fast Select Request Pkt	Fast Select	61.3%	60.7%	60.3%	59.8%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	69.2%	81.6%	81.3%	100.0%
CNS	Automatic Recall	Automatic Call Return	69.2%	81.6%	81.3%	100.0%

## SUMMARY FOR MARKET AREA: CHICAGO

IL

Total Access Lines in: CHICAGO                      Total                      =                      51908

Percentage Availability of ONA Services By Date for CHICAGO                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	69.2%	81.6%	81.3%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	69.2%	68.9%	68.6%	87.3%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	69.2%	81.6%	81.3%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	69.2%	81.6%	81.3%	100.0%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	69.2%	81.6%	81.3%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	69.2%	81.6%	81.3%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	69.2%	81.6%	81.3%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	69.2%	81.6%	81.3%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.7%	0.7%	0.7%	0.7%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	69.2%	81.6%	81.3%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	69.2%	81.6%	81.3%	100.0%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Deliv CLASS	69.2%	81.6%	81.3%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	69.2%	81.6%	81.3%	100.0%
CNS	Distinctive Ringing	VIP Alert	69.2%	81.6%	81.3%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	69.2%	81.6%	81.3%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	69.2%	81.6%	81.3%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	69.2%	81.6%	81.3%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	69.2%	81.6%	81.3%	100.0%
CNS	Selective Call Rejection	Call Block	69.2%	81.6%	81.3%	100.0%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	69.2%	81.6%	81.3%	100.0%
CNS		Busy Number Redial	69.2%	81.6%	81.3%	100.0%
CNS		Saved Number Redial	0.0%	12.8%	12.7%	31.8%
CNS		Last Number Redial	69.2%	81.6%	81.3%	100.0%
CNS	Call Waiting	Call Waiting	69.2%	81.6%	81.3%	100.0%
CNS	Three Way Calling	Three Way Calling	69.2%	81.6%	81.3%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	69.2%	81.6%	81.3%	100.0%
CNS		Cl Fwd'g Fixed-All clls	69.2%	81.6%	81.3%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	69.2%	81.6%	81.3%	100.0%
CNS		Special Call Waiting	68.6%	81.0%	80.6%	99.3%
CNS		Special Call Acceptance	68.6%	81.0%	80.6%	99.3%
CNS		Anonymous Call Rejection	68.6%	68.2%	67.9%	86.6%
CNS	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	69.2%	81.6%	81.3%	100.0%
CNS		Call Restriction Service	69.2%	81.6%	81.3%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	12.8%	12.7%	31.8%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.7%	13.5%	13.4%	32.4%

## SUMMARY FOR MARKET AREA: CINCINNATI

OH

Total Access Lines in: CINCINNATI      Total      =      13046

Percentage Availability of ONA Services By Date for CINCINNATI      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	63.0%	63.1%	63.1%	63.1%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	63.3%	63.5%	63.7%	63.8%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	23.4%	23.4%	23.3%	23.2%
BSA	Dedicated Alert Transport	Alarm Signal	55.5%	55.4%	55.4%	55.3%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	0.0%	84.3%	84.3%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	0.0%	0.0%	84.3%	84.3%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	0.0%	0.0%	84.3%	84.3%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	0.0%	84.3%	84.3%
BSE	CXR Select On Rvse Chrg	800 Service	0.0%	0.0%	84.3%	84.3%
BSE	Message Desk (SMDI)	Prwd Cl Info-Intraoffice	0.0%	0.0%	84.3%	84.3%
BSE	MWI- Activation Audible	MWI Audible	0.0%	0.0%	84.3%	84.3%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	0.0%	84.3%	84.3%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	0.0%	84.3%	84.3%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	0.0%	84.3%	84.3%
BSE	Three Way Call Transfer	User Transfer	0.0%	0.0%	84.3%	84.3%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	0.0%	84.3%	84.3%
BSE	Route Diversity	Diversity Routing	0.0%	0.0%	84.3%	84.3%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	0.0%	0.0%	84.3%	84.3%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	84.3%	84.3%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	0.0%	84.3%	84.3%
CNS	Automatic Recall	Automatic Call Return	0.0%	0.0%	84.3%	84.3%



## SUMMARY FOR MARKET AREA: CINCINNATI

OH

Total Access Lines in: CINCINNATI Total = 13046

Percentage Availability of ONA Services By Date for CINCINNATI Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	84.3%	84.3%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	84.3%	84.3%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	84.3%	84.3%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	0.0%	84.3%	84.3%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	84.3%	84.3%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	0.0%	84.3%	84.3%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	0.0%	84.3%	84.3%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	0.0%	84.3%	84.3%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	0.0%	84.3%	84.3%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	0.0%	84.3%	84.3%
CNS	Clg DA Deliv via BCLID	Clg No.ID Deliv CLASS	0.0%	0.0%	84.3%	84.3%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	0.0%	84.3%	84.3%
CNS	Distinctive Ringing	VIP Alert	0.0%	0.0%	84.3%	84.3%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	0.0%	84.3%	84.3%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	0.0%	84.3%	84.3%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	84.3%	84.3%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	0.0%	84.3%	84.3%
CNS	Selective Call Rejection	Call Block	0.0%	0.0%	84.3%	84.3%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	0.0%	0.0%	84.3%	84.3%
CNS		Busy Number Redial	0.0%	0.0%	84.3%	84.3%
CNS		Saved Number Redial	0.0%	0.0%	84.3%	84.3%
CNS		Last Number Redial	0.0%	0.0%	84.3%	84.3%
CNS	Call Waiting	Call Waiting	0.0%	0.0%	84.3%	84.3%
CNS	Three Way Calling	Three Way Calling	0.0%	0.0%	84.3%	84.3%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	0.0%	84.3%	84.3%
CNS		Cl Fwd'g Fixed-All clls	0.0%	0.0%	84.3%	84.3%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	0.0%	0.0%	84.3%	84.3%
CNS		Special Call Waiting	0.0%	0.0%	84.3%	84.3%
CNS		Special Call Acceptance	0.0%	0.0%	84.3%	84.3%
CNS		Anonymous Call Rejection	0.0%	0.0%	84.3%	84.3%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	0.0%	0.0%	84.3%	84.3%
CNS		Call Restriction Service	0.0%	0.0%	84.3%	84.3%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	84.3%	84.3%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	0.0%	84.3%	84.3%

## SUMMARY FOR MARKET AREA: CLEVELAND-LORAIN OH

Total Access Lines in: CLEVELAND-LORAIN Total = 78493

## Percentage Availability of ONA Services By Date for CLEVELAND-LORAIN Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	79.9%	80.1%	80.2%	80.3%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	79.9%	80.1%	80.2%	80.3%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	99.2%	99.1%	99.1%	99.1%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	84.4%	84.4%	84.5%	84.6%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	58.4%	58.5%	58.4%	58.4%
BSA	Dedicated Alert Transport	Alarm Signal	98.1%	98.1%	98.1%	98.1%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	26.3%	26.3%	26.4%	26.6%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSB	Fast Select Accept Pkt	Fast Select	79.9%	80.1%	80.2%	80.3%
BSB	Fast Select Request Pkt	Fast Select	79.9%	80.1%	80.2%	80.3%
BSB	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSB	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSB	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSB	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSB	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSB	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSB	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSB	Cld DN Deliv via DID	Direct Inward Dialing	9.1%	84.5%	100.0%	100.0%
BSB	Cllg Bllg Num Deliv PG B	Automatic No. ID	9.1%	84.5%	100.0%	100.0%
BSB	Cllg Bllg Num Deliv PG D	Automatic No. ID	9.1%	84.5%	100.0%	100.0%
BSB	Cllg DA Deliv via BCLID	Clg No.ID Delivly CLASS	9.1%	84.5%	100.0%	100.0%
BSB	CXR Select On Rvse Chrg	800 Service	9.1%	84.5%	100.0%	100.0%
BSB	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	9.1%	84.5%	100.0%	100.0%
BSB	MWI- Activation Audible	MWI Audible	9.1%	84.5%	100.0%	100.0%
BSB	Multiline Hunt Group	Hunt Group Arrangement	9.1%	84.5%	100.0%	100.0%
BSB	MLHG-UCD Line Hunting	Uniform Call Distribution	9.1%	84.5%	100.0%	100.0%
BSB	MLHG - UCD With Queuing	Queuing	9.1%	84.5%	100.0%	100.0%
BSB	Three Way Call Transfer	User Transfer	9.1%	84.5%	100.0%	100.0%
BSB	Remote Call Forwarding	Foreign Exchange	9.1%	84.5%	100.0%	100.0%
BSB	Route Diversity	Diversity Routing	9.1%	84.5%	100.0%	100.0%
BSB	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	9.1%	84.5%	100.0%	100.0%
BSB	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSB	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSB		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSB		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSB		MWI Actvtn Audbl Rng Brst	0.0%	75.4%	91.1%	91.2%
BSB	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	79.9%	80.1%	80.2%	80.3%
CNS	Fast Select Accept Pkt	Fast Select	79.9%	80.1%	80.2%	80.3%
CNS	Fast Select Request Pkt	Fast Select	79.9%	80.1%	80.2%	80.3%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	9.1%	84.5%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	9.1%	84.5%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: CLEVELAND-LORAIN OH

Total Access Lines in: CLEVELAND-LORAIN Total = 78493

## Percentage Availability of ONA Services By Date for CLEVELAND-LORAIN Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrastwitch	Call Fwd Bsy Li - Fixed	9.1%	84.5%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	9.1%	41.7%	57.1%	57.0%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	9.1%	84.5%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	9.1%	84.5%	100.0%	100.0%
CNS	CFDA Intrastwitch	Cl Fwd-No Ans-Fixed	9.1%	84.5%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	9.1%	84.5%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	9.1%	84.5%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	9.1%	84.5%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	9.1%	84.5%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	9.1%	84.5%	100.0%	100.0%
CNS	Clg DA Deliv via BCLID	Clg No.ID Deliv CLASS	9.1%	84.5%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	9.1%	84.5%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	9.1%	84.5%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	9.1%	84.5%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	9.1%	84.5%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	75.4%	91.1%	91.2%
CNS	Selective Call Forward'g	Special Call Forwarding	9.1%	84.5%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	9.1%	84.5%	100.0%	100.0%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	9.1%	84.5%	100.0%	100.0%
CNS		Busy Number Redial	9.1%	84.5%	100.0%	100.0%
CNS		Saved Number Redial	9.1%	84.5%	100.0%	100.0%
CNS		Last Number Redial	9.1%	84.5%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	9.1%	84.5%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	9.1%	84.5%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	9.1%	84.5%	100.0%	100.0%
CNS		Cl Fwd'g Fixed-All clls	9.1%	84.5%	100.0%	100.0%
CNS	CFBL/DA	Cl Fwd Bsy No Ans.Fixed	9.1%	84.5%	100.0%	100.0%
CNS		Special Call Waiting	9.1%	84.5%	100.0%	100.0%
CNS		Special Call Acceptance	9.1%	84.5%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.0%	32.7%	48.3%	48.3%
CNS	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	9.1%	84.5%	100.0%	100.0%
CNS		Call Restriction Service	9.1%	84.5%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	75.4%	91.1%	91.2%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	9.1%	84.5%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: COLUMBIA

MO

Total Access Lines in: COLUMBIA                      Total                      =                      71313

Percentage Availability of ONA Services By Date for COLUMBIA                      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	39.9%	39.8%	39.9%	39.8%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	36.1%	36.1%	36.3%	36.3%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	17.6%	17.7%	17.8%	17.7%
BSA	Dedicated Alert Transport	Alarm Signal	34.3%	34.3%	34.4%	34.4%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Ctr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	100.0%	100.0%	100.0%	100.0%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	100.0%	100.0%	100.0%	100.0%
BSE	CXR Select On Rvse Chrg	800 Service	100.0%	100.0%	100.0%	100.0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100.0%	100.0%	100.0%	100.0%
BSE	MWI- Activation Audible	MWI Audible	100.0%	100.0%	100.0%	100.0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100.0%	100.0%	100.0%	100.0%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100.0%	100.0%	100.0%	100.0%
BSE	MLHG - UCD With Queuing	Queuing	100.0%	100.0%	100.0%	100.0%
BSE	Three Way Call Transfer	User Transfer	100.0%	100.0%	100.0%	100.0%
BSE	Remote Call Forwarding	Foreign Exchange	100.0%	100.0%	100.0%	100.0%
BSE	Route Diversity	Diversity Routing	100.0%	100.0%	100.0%	100.0%
BSE	3rd No. Bllg Inhibited	Bld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	87.1%	87.1%	86.9%	86.9%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	100.0%	100.0%	100.0%	100.0%
CNS	Automatic Recall	Automatic Call Return	100.0%	100.0%	100.0%	100.0%

## SUMMARY FOR MARKET AREA: COLUMBIA

MO

Total Access Lines in: COLUMBIA      Total      =      71313

## Percentage Availability of ONA Services By Date for COLUMBIA      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intrswitch	Call Fwd Bsy Li - Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	12.9%	12.9%	13.1%	13.1%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Intrswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	100.0%	100.0%	100.0%	100.0%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100.0%	100.0%	100.0%	100.0%
CNS	CF - Variable	Variable Cl Fwd'g	100.0%	100.0%	100.0%	100.0%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Deliv CLASS	100.0%	100.0%	100.0%	100.0%
CNS	Customer Originated Trace	Call Tracing Service	100.0%	100.0%	100.0%	100.0%
CNS	Distinctive Ringing	VIP Alert	100.0%	100.0%	100.0%	100.0%
CNS	Dist Ring Term Screen	Smart Ring	100.0%	100.0%	100.0%	100.0%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100.0%	100.0%	100.0%	100.0%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Forward'g	Special Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS	Selective Call Rejection	Call Block	100.0%	100.0%	100.0%	100.0%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	100.0%	100.0%	100.0%	100.0%
CNS		Busy Number Redial	100.0%	100.0%	100.0%	100.0%
CNS		Saved Number Redial	87.1%	87.1%	86.9%	86.9%
CNS		Last Number Redial	100.0%	100.0%	100.0%	100.0%
CNS	Call Waiting	Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS	Three Way Calling	Three Way Calling	100.0%	100.0%	100.0%	100.0%
CNS	Remote Call Forwarding	Remote Call Forwarding	100.0%	100.0%	100.0%	100.0%
CNS		Cll Frwd'g Fixed-All clls	100.0%	100.0%	100.0%	100.0%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Waiting	100.0%	100.0%	100.0%	100.0%
CNS		Special Call Acceptance	100.0%	100.0%	100.0%	100.0%
CNS		Anonymous Call Rejection	0.0%	0.0%	0.0%	0.0%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	100.0%	100.0%	100.0%	100.0%
CNS		Call Restriction Service	100.0%	100.0%	100.0%	100.0%
CNS		MWI Abl Rcv Adbl Rng Brst	87.1%	87.1%	86.9%	86.9%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust Controllable Ringing	87.1%	87.1%	86.9%	86.9%

## SUMMARY FOR MARKET AREA: COLUMBUS

OH

Total Access Lines in: COLUMBUS      Total      =      55795

Percentage Availability of ONA Services By Date for COLUMBUS      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	86.7%	86.9%	87.0%	87.1%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	73.5%	73.9%	74.2%	74.6%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	26.6%	26.4%	26.3%	26.3%
BSA	Dedicated Alert Transport	Alarm Signal	94.5%	94.6%	94.7%	94.8%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	0.0%	0.0%	0.0%	0.0%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Ctr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	0.0%	37.4%	91.2%	91.4%
BSE	Cllg Bllg Num Deliv PG B	Automatic No. ID	0.0%	37.4%	91.2%	91.4%
BSE	Cllg Bllg Num Deliv PG D	Automatic No. ID	0.0%	37.4%	91.2%	91.4%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	37.4%	91.2%	91.4%
BSE	CXR Select On Rvse Charg	800 Service	0.0%	37.4%	91.2%	91.4%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0.0%	37.4%	91.2%	91.4%
BSE	MWI- Activation Audible	MWI Audible	0.0%	37.4%	91.2%	91.4%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0.0%	37.4%	91.2%	91.4%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0.0%	37.4%	91.2%	91.4%
BSE	MLHG - UCD With Queuing	Queuing	0.0%	37.4%	91.2%	91.4%
BSE	Three Way Call Transfer	User Transfer	0.0%	37.4%	91.2%	91.4%
BSE	Remote Call Forwarding	Foreign Exchange	0.0%	37.4%	91.2%	91.4%
BSE	Route Diversity	Diversity Routing	0.0%	37.4%	91.2%	91.4%
BSE	3rd No. Bllg Inhibited	Bldd No. Screen'g (BNS)	0.0%	37.4%	91.2%	91.4%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	37.4%	91.2%	91.4%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	0.0%	37.4%	91.2%	91.4%
CNS	Automatic Recall	Automatic Call Return	0.0%	37.4%	91.2%	91.4%

## SUMMARY FOR MARKET AREA: COLUMBUS

OH

Total Access Lines in: COLUMBUS      Total      =      55795

Percentage Availability of ONA Services By Date for COLUMBUS      Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	0.0%	37.4%	91.2%	91.4%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	0.0%	0.0%	44.1%	44.5%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0.0%	37.4%	91.2%	91.4%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0.0%	37.4%	91.2%	91.4%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	0.0%	37.4%	91.2%	91.4%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	0.0%	37.4%	91.2%	91.4%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0.0%	37.4%	91.2%	91.4%
CNS	CF - Variable	Variable Cl Fwd'g	0.0%	37.4%	91.2%	91.4%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0.0%	0.0%	0.0%	0.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	0.0%	37.4%	91.2%	91.4%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0.0%	37.4%	91.2%	91.4%
CNS	Clbg DA Deliv via BCLID	Clg No.ID Delivv CLASS	0.0%	37.4%	91.2%	91.4%
CNS	Customer Originated Trace	Call Tracing Service	0.0%	37.4%	91.2%	91.4%
CNS	Distinctive Ringing	VIP Alert	0.0%	37.4%	91.2%	91.4%
CNS	Dist Ring Term Screen	Smart Ring	0.0%	37.4%	91.2%	91.4%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0.0%	37.4%	91.2%	91.4%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	37.4%	91.2%	91.4%
CNS	Selective Call Forward'g	Special Call Forwarding	0.0%	37.4%	91.2%	91.4%
CNS	Selective Call Rejection	Call Block	0.0%	37.4%	91.2%	91.4%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	0.0%	37.4%	91.2%	91.4%
CNS		Busy Number Redial	0.0%	37.4%	91.2%	91.4%
CNS		Saved Number Redial	0.0%	37.4%	91.2%	91.4%
CNS		Last Number Redial	0.0%	37.4%	91.2%	91.4%
CNS	Call Waiting	Call Waiting	0.0%	37.4%	91.2%	91.4%
CNS	Three Way Calling	Three Way Calling	0.0%	37.4%	91.2%	91.4%
CNS	Remote Call Forwarding	Remote Call Forwarding	0.0%	37.4%	91.2%	91.4%
CNS		Cl1 Prwd'g Fixed-All clls	0.0%	37.4%	91.2%	91.4%
CNS	CFBL/DA	Cl1 Prwd Bsy No Ans.Fixed	0.0%	37.4%	91.2%	91.4%
CNS		Special Call Waiting	0.0%	37.4%	91.2%	91.4%
CNS		Special Call Acceptance	0.0%	37.4%	91.2%	91.4%
CNS		Anonymous Call Rejection	0.0%	0.0%	44.1%	44.5%
CNS	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	0.0%	37.4%	91.2%	91.4%
CNS		Call Restriction Service	0.0%	37.4%	91.2%	91.4%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	37.4%	91.2%	91.4%
CNS		GTB Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	0.0%	37.4%	91.2%	91.4%

## SUMMARY FOR MARKET AREA: CORPUS CHRISTI TX

Total Access Lines in: CORPUS CHRISTI Total = 30778

## Percentage Availability of ONA Services By Date for CORPUS CHRISTI Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
BSA	Type A - X.25 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Type B - X.75 Pkt Sw	Pkt Sw Ntwk Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Voice Grade	Voiceband	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Program Audio	Program Audio	100.0%	100.0%	100.0%	100.0%
BSA	Dedicated Video	Videoband	100.0%	100.0%	100.0%	100.0%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	96.0%	96.0%	96.0%	96.0%
BSA	Type G - Ded 1.544Mbps	Hi Cap DS1 Svc	32.7%	32.8%	32.8%	32.6%
BSA	Type H - Ded > 1.544Mbps	Hi Cap DS3 Svc	0.0%	0.0%	0.0%	0.0%
BSA	Dedicated Alert Transport	Alarm Signal	91.2%	90.9%	90.7%	90.5%
BSA	Dedicated Network Access	Data Link	100.0%	100.0%	100.0%	100.0%
BSA	Type K - Ded 64kbps	Digital Data Svc DDS	57.2%	56.9%	56.7%	56.5%
BSA	TypA - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100.0%	100.0%	100.0%	100.0%
BSA	TypB - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw	100.0%	100.0%	100.0%	100.0%
BSE	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100.0%	100.0%	100.0%	100.0%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100.0%	100.0%	100.0%	100.0%
BSE	Bridging	Bridging	100.0%	100.0%	100.0%	100.0%
BSE	Conditioning	Conditioning	100.0%	100.0%	100.0%	100.0%
BSE	Data Over Voice (DOV)	DOVConnect	100.0%	100.0%	100.0%	100.0%
BSE	Secondary Ch Capability	DDS Secondary Channel	100.0%	100.0%	100.0%	100.0%
BSE	Alternate Routing	Alternate Routing	100.0%	100.0%	100.0%	100.0%
BSE	Cld DN Deliv via DID	Direct Inward Dialing	93.2%	93.4%	93.5%	93.6%
BSE	Cllg Bllg Num Deliv FG B	Automatic No. ID	93.2%	93.4%	93.5%	93.6%
BSE	Cllg Bllg Num Deliv FG D	Automatic No. ID	93.2%	93.4%	93.5%	93.6%
BSE	Cllg DA Deliv via BCLID	Clg No.ID Deliv CLASS	70.5%	70.5%	70.5%	70.6%
BSE	CXR Select On Rvse Charg	800 Service	93.2%	93.4%	93.5%	93.6%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	70.5%	70.5%	70.5%	70.6%
BSE	MWI- Activation Audible	MWI Audible	63.9%	64.1%	64.2%	64.2%
BSE	Multiline Hunt Group	Hunt Group Arrangement	93.2%	93.4%	93.5%	93.6%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	93.2%	93.4%	93.5%	93.6%
BSE	MLHG - UCD With Queuing	Queuing	93.2%	93.4%	93.5%	93.6%
BSE	Three Way Call Transfer	User Transfer	93.2%	93.4%	93.5%	93.6%
BSE	Remote Call Forwarding	Foreign Exchange	93.2%	93.4%	93.5%	93.6%
BSE	Route Diversity	Diversity Routing	93.2%	93.4%	93.5%	93.6%
BSE	3rd No. Bllg Inhibited	Blld No. Screen'g (BNS)	93.2%	93.4%	93.5%	93.6%
BSE	Multiplexing - Digital	Multiplexing Arrangements	100.0%	100.0%	100.0%	100.0%
BSE	Inband Signaling	Signaling Arrangements	100.0%	100.0%	100.0%	100.0%
BSE		Prior Pkt Sw'd Ntw Suppl	0.0%	0.0%	0.0%	0.0%
BSE		MegaConnect Svc (SMDS)	0.0%	0.0%	0.0%	0.0%
BSE		MWI Actvtn Audbl Rng Brst	0.0%	0.0%	0.0%	0.0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100.0%	100.0%	100.0%	100.0%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Pkt	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Accept Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Fast Select Request Pkt	Fast Select	0.0%	0.0%	0.0%	0.0%
CNS	Derived Ch (Monitoring)	ScanAlert	0.0%	0.0%	0.0%	0.0%
CNS	Automatic Callback	Automatic Busy Redial	93.2%	93.4%	93.5%	93.6%
CNS	Automatic Recall	Automatic Call Return	93.2%	93.4%	93.5%	93.6%



## SUMMARY FOR MARKET AREA: CORPUS CHRISTI TX

Total Access Lines in: CORPUS CHRISTI Total = 30778

Percentage Availability of ONA Services By Date for CORPUS CHRISTI Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/94	12/31/95	12/31/96	12/31/97
CNS	CFBL Intraswitch	Call Fwd Bsy Li - Fixed	93.2%	93.4%	93.5%	93.6%
CNS	CFBL Interswitch	Call Fwd Bsy Li - Fixed	93.2%	93.4%	93.5%	93.6%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	86.6%	87.0%	87.1%	87.2%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	93.2%	93.4%	93.5%	93.6%
CNS	CFDA Intraswitch	Cl Fwd-No Ans-Fixed	93.2%	93.4%	93.5%	93.6%
CNS	CFDA Interswitch	Cl Fwd-No Ans-Fixed	93.2%	93.4%	93.5%	93.6%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	93.2%	93.4%	93.5%	93.6%
CNS	CF - Variable	Variable Cl Fwd'g	93.2%	93.4%	93.5%	93.6%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	22.7%	22.9%	23.0%	23.0%
CNS	CF VAR - Remote Act/Cont	Remote Access-CF Variable	63.9%	64.1%	64.2%	64.2%
CNS	Call Waiting - Cancel	Cancel Call Waiting	93.2%	93.4%	93.5%	93.6%
CNS	Cllg DA Deliv via BCLID	Cllg No.ID Delivv CLASS	63.9%	64.1%	64.2%	64.2%
CNS	Customer Originated Trace	Call Tracing Service	93.2%	93.4%	93.5%	93.6%
CNS	Distinctive Ringing	VIP Alert	93.2%	93.4%	93.5%	93.6%
CNS	Dist Ring Term Screen	Smart Ring	93.2%	93.4%	93.5%	93.6%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	93.2%	93.4%	93.5%	93.6%
CNS	MWI-ATR Audible Msg Wtg	Receive Audible MWI	0.0%	0.0%	0.0%	0.0%
CNS	Selective Call Forward'g	Special Call Forwarding	93.2%	93.4%	93.5%	93.6%
CNS	Selective Call Rejection	Call Block	93.2%	93.4%	93.5%	93.6%
CNS	Speed Calling	Speed Cllg - 8 & 30 Nos.	93.2%	93.4%	93.5%	93.6%
CNS		Busy Number Redial	93.2%	93.4%	93.5%	93.6%
CNS		Saved Number Redial	70.5%	70.5%	70.5%	70.6%
CNS		Last Number Redial	93.2%	93.4%	93.5%	93.6%
CNS	Call Waiting	Call Waiting	93.2%	93.4%	93.5%	93.6%
CNS	Three Way Calling	Three Way Calling	93.2%	93.4%	93.5%	93.6%
CNS	Remote Call Forwarding	Remote Call Forwarding	93.2%	93.4%	93.5%	93.6%
CNS		Cll Frwd'g Fixed-All clls	93.2%	93.4%	93.5%	93.6%
CNS	CFBL/DA	Cll Frwd Bsy No Ans.Fixed	93.2%	93.4%	93.5%	93.6%
CNS		Special Call Waiting	93.2%	93.4%	93.5%	93.6%
CNS		Special Call Acceptance	93.2%	93.4%	93.5%	93.6%
CNS		Anonymous Call Rejection	22.7%	22.9%	23.0%	23.0%
CNS	3rd No. Bllg Inhibited	Bllld No. Screen'g (BNS)	93.2%	93.4%	93.5%	93.6%
CNS		Call Restriction Service	93.2%	93.4%	93.5%	93.6%
CNS		MWI Abl Rcv Adbl Rng Brst	0.0%	0.0%	0.0%	0.0%
CNS		GTE Dial Datalink	100.0%	100.0%	100.0%	100.0%
CNS		Cust.Controllable Ringing	93.2%	93.4%	93.5%	93.6%